

OSU Extension FACT SHEET

Ohio State University Extension, 2120 Fyffe Road, Columbus, OH 43210

“Shale Oil and Gas Development” Fact Sheet Series

Seeding Recommendations Following Pipeline Construction

Chris Zoller

Extension Educator, Tuscarawas County

Mark Landefeld

Extension Educator, Monroe County

Introduction

Following the construction of a pipeline comes the need to seed the area above and adjacent to the pipeline. There are a variety of seeding mixtures available to re-establish vegetative growth, but many landowners don't know which options are best.

Considerations

Before deciding which mixture to seed, there are several things landowners should consider. Following is a list of these considerations.

1. What grasses and forages were present prior to construction?
It is recommended that the new seeding compliment the forage that was present prior to construction.
2. What will you do with the land following construction?
Depending upon whether you are going to make hay or graze the land may dictate somewhat which species you select.
3. Will you graze livestock on the land?
If so, the species you plan to graze may impact your selection of seeding mixtures.
4. Do you prefer a pure seeding mixture?
The advantages of pure grass or legume mixtures include ease of management, a greater choice of herbicide options, and greater forage quality potential.



THE OHIO STATE UNIVERSITY

COLLEGE OF FOOD, AGRICULTURAL,
AND ENVIRONMENTAL SCIENCES

5. Do you prefer a grass-legume mixture?

Mixtures of grasses and legumes are very common in Ohio and are generally preferred over pure stands. Advantages include higher yield potential and more uniform production throughout the season. The addition of legumes also reduces the nitrogen fertilizer requirement, lengthens the life of the stand, and can reduce the incidence of nitrate poisoning and grass tetany in livestock grazing the forage.

Seeding Rates

Following is a table from the Ohio State University Extension *Ohio Agronomy Guide* that provides sample mixtures for common grasses and forages grown in Ohio. The recommendations in this table are based on the percentage of Pure live Seed (PLS). PLS is a means of expressing seed quality. PLS is the percentage of seed (i.e. good viable seed) that has the potential to germinate within a measured one pound weight of any seed lot. This percentage is typically printed on a seed tag. PLS provides a basis for comparing the quality of seed lots of the same species that differ in purity and germination. The use of PLS guarantees that the same amount of viable seed per acre is planted even though different seed lots with varying quality may be used. Knowing the PLS percentage is important when comparing price. See the following example for an illustration:

Table 1: Example illustration comparing PLS and price

	Company A	Company B
Species	Variety	Variety
Price (Bulk/lb.)	\$8.00	\$8.25
% Purity	85.2%	86.3%
% Total Germination	79%	84%
% PLS	67.3%	72.49%
Price/PLS lb.	\$11.89	\$11.38

From these calculations we can easily see that the posted price (\$ per bulk pound) is not always the best buy. Company A’s seed that sells for \$ 8.00 a bulk pound would end up costing \$11.89 for each PLS pound as compared to Company B which sells its seed for \$ 8.25 per bulk pound which would end up being the cheapest at \$11.38 for each PLS pound, resulting in a \$25.50 savings per each 50 lbs. purchased.

This example shows that the cheapest seed is not always the best buy or the most economical. By comparing the purity and germination, and calculating PLS for any given seed lots you can see clearly which lots are the most economical and have the best chance to establish a successful planting.

Table 2: Seeding Recommendations from the *Ohio Agronomy Guide*

Species	Seeds/lb. x 1,000	Seeds/ft ²	Lbs. Seed/A	Proportional Seeding Rates for Mixtures Pounds/Acre				
				3/4	1/2	1/3	1/4	1/8
Perennial Legumes								
Alfalfa	227	80	15	12	8	5	4	2
Alsike Clover	700	150	9	7	5	3	2	1
Birdsfoot Trefoil	375	80	9	7	5	3	2	1
Red Clover	275	70	11	8	6	4	3	1.5
White Clover	860	100	5	4	3	2	1	0.5
Crownvetch	140	30	9	7	5	3	2	1
Perennial Grasses & Forbs								
Orchardgrass	590	130	10	7	5	3	2	1
Perennial Ryegrass	237	130	24	18	12	8	6	3
Reed Canarygrass	550	130	10	8	5	3	2.5	1
Smooth Bromegrass	137	50	16	12	8	5	4	2
Tall Fescue	227	80	15	12	8	5	4	2
Timothy	1230	220	8	6	4	3	2	1

Getting What You Want

Before the seeding is made a soil sample should be taken to determine the present and future lime and fertilizer requirements for the site. A soil sample will provide important information about the pH level of the soil and the amount of nutrients that should be applied prior to seeding. The sampling and associated costs should be negotiated into the easement agreement and the cost of sampling, seed, and planting should be the responsibility of the company. If you have the interest and the ability to do so, and can negotiate an agreement, you may give some thought to making the lime, fertilizer, and seeding yourself. At least this way you are assured of the type and amount of each that was applied.

If there is a particular species you do not want seeded on your land make sure this is clearly stated in writing in the agreement. Once the seed is applied it is next to impossible to remove it from the soil.

If the pipeline will be installed across your lawn the grasses you select to re-seed the area will be different than those provided in the table from the *Ohio Agronomy Guide*. Contact your local OSU Extension office for recommendations about these areas.

Summary

Establishing vegetation on a pipeline right-of-way and construction area is important to conserve soil. Consider your intended use of the land and select the most improved varieties that maximize production. Contact your local Ohio State University Extension office for information about soil testing, nutrient management, variety selection, and seeding.

Reviewed by:

Melvin Lahmers, Crop Consultant & Certified Crop Advisor

Jason Undercoffer, Certified Crop Advisor

Harry Kenney, District Conservationist, Natural Resources Conservation Service

Clif Little, Associate Professor & Extension Educator, ANR

Jeff McCutcheon, Assistant Professor & Extension Educator

References:

Ohio Agronomy Guide

Understanding Seeding Rates, Recommended Planting Rates, and Pure Live Seed, Technical Note, USDA Natural Resources Conservation Service

This fact sheet is in draft form and has been submitted to Ohio State University Extension for final publication by The Ohio State University.